

HEAVYDRAW 1125



Safety Data Sheet

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name and Use: HEAVYDRAW 1125 - Metal Forming Lubricant

Manufacturer: Lamson Oil Company
5060 27th Avenue, Rockford, Illinois 61109 USA

Telephone Number: (815) 226-8090

Emergency Number: Call (Infotrac) (800) 535-5053

Please call INFOTRAC in the event of a transportation or medical emergency involving a human or an animal.

2. HAZARD IDENTIFICATION

No Pictogram Assigned

Signal Word: Warning

Physical and Health Hazards:

Skin Irritation: Category 3

Hazard Statements:

Causes mild skin irritation.

Precautionary Statements:

Wear protective gloves and eye protection. Wash hands thoroughly after handling.

IF ON SKIN (or hair) Remove immediately all contaminated clothing. Rinse skin with water.

If skin irritation occurs, get medical attention.

Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. If eye irritation persists, get medical attention.

IF SWALLOWED: Immediately call a Poison Center or Physician. Do not induce vomiting.

In case of fire: Use water fog, foam, dry chemical or carbon dioxide (CO₂) for extinction.

Store in a well-ventilated place. Keep cool.

Avoid release to the environment. Collect spillage.

Dispose of contents and container in accordance with local regulations.

3. COMPONENTS

Ingredients Effecting Classification	CAS #	Weight %
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	> 10%
Chloro Alkanes, C14-16	1372804-76-6	> 10%
Emulsifier Base	Mixture	< 10%

HEAVYDRAW 1125



Safety Data Sheet

4. FIRST AID MEASURES

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. If eye irritation persists, get medical attention.

IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. If skin irritation occurs, get medical attention.

IF SWALLOWED: Immediately call a Poison Center or Physician. Do not induce vomiting.

IF INHALED: Remove to fresh air; apply artificial respiration if necessary. Get medical attention.

5. FIREFIGHTING MEASURES

General Hazard

Petroleum products can form combustible mixtures at temperatures at or above the flash point.

Firefighting

Keep fire exposed containers cool with water spray. Separate unburning product from fire. Use carbon dioxide, foam, or dry chemical extinguishing media to put out fires.

Unusual Decomposition Products Under Fire Conditions

None

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Remove greatly contaminated clothing, including shoes and wash thoroughly after contact. Launder contaminated clothing before reuse.

Environmental Precautions

Stop leak if without risk.

Dike large spills to prevent ingress into sewers or waterways.

Clean spills with absorbent and store in marked containers for disposal.

Dispose in accordance with all applicable regulations.

7. HANDLING AND STORAGE

Safe Handling and Storage

Do not handle, store, or dispense near open flames or ignition sources.

Keep containers inside and out of direct sunlight. Avoid extreme temperatures.

Do not reuse containers.

Incompatible Products

Avoid strong oxidizing and reducing agents.

Safety Data Sheet

8. EXPOSURE CONTROL AND PERSONAL PROTECTION**Ventilation**

Local exhaust is usually sufficient. General exhaust is preferred.

Personal Protection

Use approved respirator when airborne exposure limits are exceeded. Use petroleum resistant gloves to avoid prolonged contact. Wear goggles or safety glasses with splashguards.

Workplace Exposure Guidelines

Petroleum Oil mist has a TLV limit of 5 mg/m³.

9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point:	> 400 °F
Specific Gravity (water =1):	1.05
Vapor pressure (mm Hg):	< 0.02
Melting Point:	Not Applicable
Vapor Density (Air =1):	> 5
Evaporation Rate (butyl Acetate=1):	Non-volatile
Solubility in water:	Dispersible
Reactivity in water:	NIL
Appearance and Odor:	Clear, dark brown liquid; mild odor
Flash point:	> 350 °F
Flammable Limits (volume percent in air):	LEL: Not Established UEL: Not Established
Autoignition Temperature:	Not Established

10. STABILITY AND REACTIVITY

Stability: Unstable Stable

Conditions to avoid: None

Incompatibility (Materials to avoid): Strong oxidizing and reducing agents.

Hazardous Decomposition Products: Combustion may produce HCl and oxides of carbon.

Hazardous Polymerization: May Occur Will Not Occur

Conditions to Avoid: Not Applicable

11. TOXICOLOGICAL INFORMATION

This product has minimal toxicity when inhaled, ingested, or when skin or eye contact is made.

This product is not expected to cause cancer or to be a skin sensitizer.

No data is available to indicate that any ingredient is mutagenic or genotoxic.

This product is not expected to cause reproductive or developmental effects.

Contact with eyes will result in irritation.

Prolonged exposure to the skin could result in irritation or dermatitis.

Exposure to vapor or aerosol concentrations above the recommended exposure level is irritating to the eyes and respiratory tract, and may cause headaches or dizziness.

Safety Data Sheet

12. ECOLOGICAL INFORMATION

This product is considered a Marine Pollutant.

This product is very toxic to aquatic life with lasting effects.

Please refer to Section 6 for accidental release information.

13. DISPOSAL CONSIDERATIONS

This product is not suitable for disposal by either landfill or municipal sewers, natural streams or rivers.

This product can be incinerated directly in appropriate equipment.

14. TRANSPORT INFORMATION

DOT does not regulate this product for Air or Ground shipments.

Sea (IMDG) and bulk Shipping Description: UN 3082 Environmentally hazardous substances, liquid, n.o.s. (Alkanes, C14-16, chloro), 9, PG III, MARINE POLLUTANT

15. REGULATORY INFORMATION

All components of this product are on the U.S. EPA TSCA Inventory List.

This product contains more than 1.0% of Alkanes C14-16, Chloro (CAS 1372804-76-6) and so is subject to export notification under TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Export notification requirements are per export per country as required under 40 C.F.R. §707.65(a)(2)(ii).

This product does not contain a reportable chemical under SARA section 313.

16. OTHER INFORMATION

This document was revised 01 June 2022.